


FIG.1



Applicant: Ikuya YAGISAWA, et al.

Title: DISK ARRAY OPTIMIZING THE DRIVE OPERATION TIME

Atty Docket No. 16869P-105400US

Sheet 2 of 8

FIG.2




FIG.3




FIG.4

Disk No.	Disk type	Array configuration	LU No.	Snapshot pair	Snapshot status	Disk startup status	Accumulated time	Life setting
0	FC	(1)RAID5	261	Original (1)	Non-mirror	ON	10000hr	40000hr
1	FC	(1)RAID5	261	Original (1)	Non-mirror	ON	10000hr	40000hr
2	FC	(1)RAID5	261	Original (1)	Non-mirror	ON	10000hr	40000hr
3	ATA	(2)RAID5	262	Copy (1)	Non-mirror	OFF	23000hr	25000hr
4	ATA	(2)RAID5	262	Copy (1)	Non-mirror	OFF	23000hr	25000hr
5	ATA	(2)RAID5	262	Copy (1)	Non-mirror	OFF	23000hr	25000hr

FIG.5

LBA set number	Update bit
0	0
1	1
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0

Applicant: Ikuya YAGISAWA, et al.

Title: DISK ARRAY OPTIMIZING THE DRIVE OPERATION TIME

Atty D ck t No. 16869P-105400US

Sheet 4 of 8

FIG. 6




FIG.7




FIG.8




FIG.9




FIG.10

LU	LBA	Disk startup status
0	1-10000	OFF
1	10001-30000	ON
2	30001-50000	OFF

FIG.11

